



Project acronym: **RAMSSES**
Project full title: **Realisation and Demonstration of Advanced Material Solutions
for Sustainable and Efficient Ships**
Grant agreement No.: **723246**
Coordinator: **CETENA - Centro per gli Studi di Tecnica Navale**



Deliverable D06.4

2nd official draft of PUDF and Business Plan – update

May 2020

Dissemination level: **Public**

Abstract

Main authors of the chapter: Arnold de Bruijn, NMTF

In order to streamline the communication flow from and to external parties a communication strategy has been developed. The goals pursued are manifold (general dissemination, general exploitation measures and preparation of technology market uptake, identification of concepts for future innovation in the maritime industry and development of rules and regulations...), and the corresponding measures have to be customised to the suitable target groups.

This deliverable consists of mainly two parts, one part describing the communication strategy, including dissemination activities. The other part builds on the initial exploitation plan, providing guidance for the demonstrator cases to create their own exploitation- and business plan and prepare for technology market uptake.

Deliverable 6.4 presents:

- A more detailed description of the Communication Management Group (CMG)
- For each goal an communication plan in tabular format, providing an overview of the communication to WHOM (target group), WHY and WHAT (the message), HOW and by WHO (responsible Work Package and Partners)
- An overview of anticipated dissemination activities
- An overview of cooperation with other projects
- A template structure for an exploitation plan per demonstrator case
- A template structure for a business plan per demonstrator case



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 723246

The information contained in this deliverable reflects only the view(s) of the author(s). The Agency (INEA) is not responsible for any use that may be made of the information it contains.

The information contained in this report is subject to change without notice and should not be construed as a commitment by any members of the RAMSSES Consortium. In the event of any software or algorithms being described in this report, the RAMSSES Consortium assumes no responsibility for the use or inability to use any of its software or algorithms. The information is provided without any warranty of any kind and the RAMSSES Consortium expressly disclaims all implied warranties, including but not limited to the implied warranties of merchantability and fitness for a particular use.

© COPYRIGHT 2017 The RAMSSES Consortium

This document may not be copied, reproduced, or modified in whole or in part for any purpose without written permission from the RAMSSES Consortium. In addition, to such written permission to copy, acknowledgement of the authors of the document and all applicable portions of the copyright notice must be clearly referenced.

All rights reserved.

Document data

Document Title:	D06.4– 2 nd official draft of PUDF and Business Plan – update		
Work Package(s):	WP06 – Rules and Regulations, Exploitation		
Related Task(s):	T06.4, T05.1		
Dissemination level:	Public	Deliverable type:	Report
Lead beneficiary:	02 – NMTF		
Responsible author:	Arnold de Bruijn – NMTF		
Co-authors:	Matthias Krause – CMT Grit Ladage – CMT Sri Lestari Maharani – CMT Vivian Garos – NMTF		
Date of delivery:	29-05-2020		
Circulation:	<input checked="" type="checkbox"/> WP Partners <input checked="" type="checkbox"/> Cluster Manager	<input checked="" type="checkbox"/> Steering Group <input checked="" type="checkbox"/> Team Quality Assurance (TQA)	<input checked="" type="checkbox"/> EC
References:	DXX.X DXX.X		
Approved by TQA	By Patrice Vinot on 27-05-2020	By Franz Evegren on 27-05-2020	By Carola Dörrie on 20-05-2020

Involved partners

No.	Short name	Full name	Name and contact info of persons involved
30	NMTF	Netherlands Maritime Technology Foundation	Arnold de Bruijn Vivian Garos
2	CMT	Centre of Maritime Technologies	Matthias Krause Grit Ladage Sri Lestari Maharani

Document history

Version	Date	Prepared by	Description
0	15-4-2020	NMTF	Updated Document Structure
1	12-5-2020	NMTF	Draft for technical approval
2	19-5-2020	NMTF	Final version for formal approval

Contents

Abstract	2
Document data.....	3
List of symbols and abbreviations	6
1 Executive summary	7
1.1 Problem definition.....	7
1.2 Technical approach.....	7
1.3 Results and achievements.....	7
1.4 Contribution to RAMSSES objectives	8
1.5 Exploitation and implementation.....	9
2 Introduction.....	10
3 Communication Strategy.....	11
3.1 Relation to the project’s strategic objectives.....	11
3.2 Structures and Bodies for Dissemination and Exploitation Activities	11
3.2.1 Communication Management Group	11
3.2.2 Innovation Management.....	12
3.3 Implementation of the Dissemination plan	13
3.3.1 Improving Public Perception and Societal Image	13
3.3.2 Developing a Maritime Materials Innovation Platform	13
3.3.3 Improving Competitiveness and Market Uptake	16
3.3.4 Remove external Barriers towards Application	17
4 Dissemination Activities (CMT,BAL)	20
4.1 Technology Transfer Group (TTG)	20
4.1.1 Approach	20
4.1.2 Status and outlook.....	21
4.2 Maritime Advisory Group.....	21
4.2.1 Approach	21
4.2.2 Status and outlook.....	22
4.3 RAMSSES Project website (CMT).....	24
4.4 Project Flyer (CMT).....	24
4.4.1 E-LASS	24
4.4.2 Social Media	26
4.5 Project video.....	26
4.6 Cooperation with projects.....	27
4.6.1 E-ferry	27

4.6.2	FibreShip.....	28
4.6.3	GasVessel.....	28
4.6.4	ADAM4EVE (finished project).....	29
4.6.5	QUALIFY.....	29
4.6.6	DE-LIGHT Transport.....	30
4.6.7	HOLISHIP.....	31
5	Exploitation Plan.....	32
5.1	Exploitation plan from proposal phase.....	32
5.1.1	Commercial use of results.....	33
5.1.2	Non-commercial use of results.....	33
5.2	Process and timeline of monitoring RAMSSES impact.....	38
5.3	Templates for developing Exploitation plan and Business plan.....	39
5.3.1	Template for Exploitation Plan.....	39
5.3.2	Template for Business Plan.....	39
5.4	List of exploitable results.....	40
5.5	IPR within the RAMSSES consortium.....	50
5.6	Proceeding of exploitation plan.....	52
6	References.....	53
7	Indexes.....	54
7.1	Index of tables.....	54
7.2	Index of figures.....	54
8	Annexes.....	Error! Bookmark not defined.
8.1	Annex A: Public summary.....	55

List of symbols and abbreviations

CKB	Common Knowledge Repository
CMG	Communication management Group
DoA	Description of Action
DC	Demo case
HSLA	High Strength Low Alloy Steel
IPR	Intellectual Property Rights
LCPA	Life Cycle Performance Analysis
MAG	Maritime Advisory Group
PUDF	Plan of Use and Dissemination of Foreground knowledge
QCG	Quality Control Group
SG	Steering Group
TTG	Technology Transfer Group
WP	Work package

1 Executive summary

Main authors of the chapter: Arnold de Bruijn, NMTF

1.1 Problem definition

In order to streamline the communication flow from and to external parties a communication strategy has been developed. The goals pursued are manifold (general dissemination, general exploitation measures and preparation of technology market uptake, identification of concepts for future innovation in the maritime industry, development of rules and regulations). The corresponding measures have to be customised to the suitable target groups.

1.2 Technical approach

This deliverable consists of mainly two parts, one part describing the communication strategy, including dissemination activities, and one part builds on the initial exploitation plan, providing guidance for the demonstrator cases to create their own exploitation- and business plan and prepare for technology market uptake.

1.3 Results and achievements

Deliverable 6.4 presents:

- A more detailed description of the Communication Management Group (CMG)
- For each goal a communication plan in tabular format, providing an overview of the communication to WHOM (target group), WHY and WHAT (the message), HOW and by WHO (responsible Work Package and Partners)
- An overview of anticipated and performed dissemination activities since the beginning of the project
- An overview of cooperation with other projects
- A template structure for an exploitation plan per demonstrator case
- A template structure for a business plan per demonstrator case
- A list of key exploitable results
- An overview regarding the preliminary choices/preferences of IPR tools amongst partners

Highlights Innovation Management:

- The Common Knowledge Repository will be transformed into an Innovation Platform (D04.5)

Highlights Implementation and Dissemination plan:

- The ISSC Committee V.3 agreed to foresee a chapter dedicated to the qualification of Composite materials in the upcoming 2021 report
- Plans on the involvement of students within the RAMSSES project have been elaborated and implemented– The lead responsible partner for dissemination towards this target group, is NTUA, the National Technical University of Athens
- Several events have been held to strengthen cooperation and knowledge transfer with other industries
- Multipliers (associations of ship operators) were successfully invited to the MAGMaritime Advisory Group (MAG). The first workshop of the MAG took place in June 2018 in St. Nazaire,

France of the third RAMSSES General Assembly. The second workshop of the Maritime Advisory Group took place in Vigo, Spain in June 2019 and was included in the public E-LASS seminar on lightweight innovations

- The RAMSSES project's suggested approach ('Smart track to approval – STtA') has been introduced to the International Maritime Organization's Sub-Committee on Ship Design and Construction (SDC) in a lunch break presentation during the SDC7 session in London on February 03rd, 2020
- CMT, NMTF and other RAMSSES project partners are prospective members of the proposed Partnership 'Zero Emission Waterborne Transport' which provides suitable channels to communicate any observed technology gaps, research needs or other barriers which impede further and wider use of material innovation in the maritime industry

Highlights Dissemination Activities:

- RAMSSES Project Website: Upcoming public events with the E-LASS network are regularly announced on the project website, as well as the reports on the meeting. As the general intention is to create a sustainable network
- In January 2020 E-LASS joined forces with the German maritime lightweight network MariLight.Net. As result, a joint event bringing together the RAMSSES consortium with the German and the European lightweight networks took was organised. The public event, which took place in Bremen, Germany was attended by more than 120 persons. In the following to this event, E-LASS memberships and hence the size of the network was further increased
- Project video: During the 7th RAMSSES General Assembly, which took place in Germany, interviews were conducted with all WP leaders which will be used for the production of the demo case videos
- New cooperation with projects E-ferry and HOLISHIP

Highlights Exploitation & Business Plan:

- A full list of key exploitable results is illustrated
- An overview is given regarding the preliminary choices/preferences of IPR tools amongst partners
- Multiple forms of exploitation have been identified

1.4 Contribution to RAMSSES objectives

According to the DoA, the strategic objective of RAMSSES is to obtain recognition and an established role for advanced materials in the European maritime industry.

To achieve this, the RAMSSES project follows a two-way strategy, aiming to

- strengthen European leaders (represented in the project consortium, see ch.3.3) by demonstrating full feasibility and by validating the technical and economic properties of innovative material solutions in close to-reality applications
- add value to a wider European maritime community, by improving the exchange of information, technology transfer, extending the knowledge base and developing procedures to a faster approval

Deliverable D06.4

Deliverable 6.4 will contribute to this objective by organizing the inbound and outbound communication and dissemination activities towards a large number of target groups. The strategy has been updated and elaborated upon. In addition, the exploitation plans and business plans developed by the demonstrator cases will help extending our knowledge base and focus on improving the market uptake of innovative materials. Furthermore a key list of exploitable results and IPR preferences have been identified in this deliverable.

1.5 Exploitation and implementation

The results described in deliverable 6.4 cannot be directly applied, but provide guidance and instructions on sharing RAMSSES results.

2 Introduction

Main author of the chapter: Arnold de Bruijn, NMTF

Dissemination and exploitation of RAMSSES's results is a major part of the project's communication strategy. Chapter 3 addresses the Communication Strategy that was outlined in the DoA, and reports the steps undertaken so far in terms of putting it into practice and monitoring that process.

In RAMSSES, dissemination is not only understood as all activities related to outbound information flow in order to spread results of the project to the desired targets, but also to organise an inbound information flow to the RAMSSES consortium, with the aim to improve the work of the project, to create future ideas for material innovation and to enhance the related knowledge base with external data and information. An overview on dissemination activities and further plans is given in chapter 4.

Chapter 5 refers to the exploitation plan that was outlined in the DoA (2.2.4) and provides guidance for the demonstrator cases to write an exploitation plan and business plan for their particular application, encouraging the demonstrator work packages to share their expected results and how they envisage the results to be used in commercial and non-commercial manner. A list of key exploitable results are presented which are to be generated throughout the project. Moreover, different forms of exploitation have been identified. In addition, an overview is given regarding the preliminary choices/preferences of IPR amongst the partners. The exploitation plans will be updated during the project to monitor progress and to determine the impact of the RAMSSES project as a whole.

3 Communication Strategy

Main author of the chapter: Matthias Krause, CMT

3.1 Relation to the project’s strategic objectives

The internal information flow in the RAMSSES consortium is organised in order to ensure successful financial and administrative project management and achievement of the technical objectives of the project in an efficient manner. This part of the communication strategy is discussed in relevant Deliverables by WP01 and WP02.

The Deliverable at hand discusses those parts of the communication strategy which are aiming at the third strategic objective of the project:

“Objective 3: RAMSSES will contribute to support the innovation capabilities of the consortium members and the maritime sector” Annex 1, Part B, p. 7

As indicated in Figure 1, this strategy mainly addresses information flow from and to external parties and interaction with these. The goals pursued are manifold; general dissemination, general exploitation measures and preparation of technology market uptake, identification of concepts for future innovation in the maritime industry and development of rules and regulations. The corresponding measures have to be customised to the suitable target groups.




Figure 1: External information flow (Annex I, Part B, p. 30)

3.2 Structures and Bodies for Dissemination and Exploitation Activities

3.2.1 Communication Management Group

*„All external communication will be facilitated and monitored by the CMG...“
(Annex I, Part B, ch. 2.2.3)*

The RAMSSES Management structure as described in the DoA foresees a Communication Management Group (CMG) which convenes every six months. The CMG kick-off meeting, organised as a Webex conference, took place on November 22nd, 2017 to agree on the terms of the CMG’s work, its composition and next steps. The most important decisions are as follows:

- The CMG consists of all members of the WPs 03...06, not only the WP leaders.
- CMG will monitor the implementation of the project’s dissemination plan.
- Particular dissemination activities can be implemented by any RAMSSES partner. All members of the Consortium are encouraged to disseminate activities and results in the project. They are obliged to support the CMG in performing dissemination measures.
- CMG will report to the SG on a regular basis.




Figure 2: The CMG (highlighted yellow) in the RAMSSES Management structure

The CMG continues to convene every six months via web-based meetings discussing latest developments and further actions with a small deviation between CMG meeting number 04 and CMG meeting number 05, where between both events not six but eight months were spent.

3.2.2 Innovation Management

The core strategic element for the innovation management is the Common Knowledge Repository (CKB). The CKB will not only provide a means to store information that needs to be shared between the RAMSSES partners, but also data and information that stems from inbound communication (e.g. Technology Transfer Group) and which is intended for outbound information flow (e.g. input to rule making bodies). Thus, the CKB is clearly a strategic tool for the project’s dissemination and exploitation measures.

The repository has been developed in WP04. The Deliverable D04.1, which was due project month 8 provided a first overview of the development of the CKB, including a list of requirements for the RAMSSES repository and its envisaged functionalities. It furthermore listed potential databases which might be suitable candidates for interfaces with the CKB as well as an overview of the planned software structure. Since then three more deliverables (D04.2 (PM12); D04.3 (PM18); D04.4 (PM24)) have been published on the development of the steadily growing repository. In the following the CKB will be transformed into an Innovation Platform. In deliverable D04.4 the terms of reference for this Innovation Platform are defined, the upcoming deliverable D04.5 which is due in PM36, will be dedicated to this transformation from the CKB into an Innovation platform.

3.3 Implementation of the Dissemination plan

The tactical approach to handle the external communication was outlined in the table ‘initial dissemination plan’ in the DoA, Part B. Four main goals of dissemination were identified, and to each goal one or more target groups were allocated. The following sub chapters 3.3.1 till 3.3.4 contain the dissemination plans, including updates and brief summaries on further plans and activities already initiated. More information about the most significant activities which have been initiated or completed are documented in the forthfollowing chapters.

3.3.1 Improving Public Perception and Societal Image

3.3.1.1 Plan

Table 1: Dissemination Plan summary – goal ‘Improving Public Perception and Societal Image’

To WHOM	WHY and WHAT	HOW	WHO*
General public (European citizens), Science community	Make wider community aware of impact of EU research, improve public image of maritime, enable contact to project	Project website; press releases; innovative media (e.g. LinkedIn); project dissemination material; interviews in local media and science magazines; project videos	WP05: CMT, RISE

3.3.1.2 Comments on status and further plans

Status month 24 – website launched, LinkedIn group established, two press releases were issued (project kick-off, first RAMSSES/E-LASS conference). Interviews will be given in a later stage. First of a series of RAMSSES demo case videos was produced; a concept for a general project video was prepared.

Status month 36 – website regularly updated, including a major update at the end of period 2; various video material compiled by CMT and partners – publication of videos planned in the final period; various articles including two further press releases (MAG workshop, presentation at IMO final conference), continuous maintenance of LinkedIn channel

3.3.2 Developing a Maritime Materials Innovation Platform

3.3.2.1 Plan

Table 2: Dissemination Plan summary – goal ‘Developing a Maritime Materials Innovation Platform’

To WHOM	WHY and WHAT	HOW	WHO*
Maritime RDI Community	Inform on work and results, receive feedback on technical developments, foster knowledge and result uptake	Publication in specific newsletters, research and professional magazines; annual joint events with other initiatives, SMARTYards network, WATERBORNE platform exchange and discussion in the ISSC expert group V3 <i>Material and Fabrication</i>	WP05: CMT, RISE, NTUA, AIMEN

To WHOM	WHY and WHAT	HOW	WHO*
Other RDI project consortia	Use synergies, e.g. joint resources, uptake of suitable external developments, exchange of results, cooperative work	WATERBORNE and EFFRA** networks and websites, participation in CSAs, joint workshops, TTG with confirmed partners from other sectors; cross-project partner networks, joint conferences, cooperation agreements using SMARTYard templates	WP03, 05: <u>CMT</u> , NETCOMP, FHG, TNO, NMTF, RISE (E-LASS), AIMEN, BV
School graduates, Students & Young professional	Attract young people to RDI and maritime, inform about job opportunities, improve technical skills for under- and post graduate students	Training material, presentations at universities, network of WEGEMT, twinning projects, support to EM-Ships actions, internal placements for students	WP05: <u>NTUA</u> , CMT, AIMEN, RISE
Other sectors, material sciences	Get information on latest development and available new solutions, initiate cooperation	Dedicated Technology Transfer Group with confirmed partners from rail, road, aero and materials, annual reports to GA, analysis of solutions for maritime	WP03: <u>CMT</u> , BV, NETCOMP, FHG et al

3.3.2.2 *Comments on status and further plans*

Target group 'Maritime RDI community'

Status month 24 – Several project partners' newsletters introduced RAMSSES; a couple of general articles about the project were issued in trade magazines; CMT and others gave presentations to some of the technical working groups or associations they are represented in. Direct contact to the members of the SMARTYards network is sought. Together with the ISSC Committee V.3 and the FIBRESHIP project, RAMSSES organised a workshop on qualification of composites. A set of measures towards new approaches for approval of new materials was agreed and published in the 3-annual ISSC report in 2018.

Status month 36 – The ISSC Committee V.3 agreed to foresee a chapter dedicated to the qualification of Composite materials in the upcoming 2021 report. The chapter will include a review of the 'set of measures' that were suggested in the 2018 report, and the actual progress which has taken place since. Despite Covid-19 effects, CMT is planning to organise a dedicated meeting in which the state of play should be discussed. Members of the ISSC Committee, several class societies and key partners of RAMSSES and other relevant projects should take part in this meeting.

Target group 'Other RDI project consortia'

Status month 24 – Various contacts have been made, cooperations with several consortia have been initiated and will be intensified in the future; RAMSSES uses the E-LASS conferences to organise presentations of other projects and to meet other consortia.

Status month 36 – Specific collaboration activities, either technical or communication related, took place. The most relevant cases are discussed in chapter 4.6.

Target group ‘School graduates, Students & Young professional’

Status month 24 -Plans being elaborated – The lead responsible partner for dissemination towards this target group, NTUA, has identified the following plans:

- Dissemination activities to the academic community
 - 1) NTUA can create an initial mail list of contact persons in various university naval architecture departments worldwide (not including those participating in RAMSSES).
 - 2) The above list will be circulated to all RAMSSES partners in order to be populated with more entries.
 - 3) Once the list is finalized, RAMSSES informative material (info about the project and possible forthcoming project related events) can be mailed to all persons of the list (this can be done either centrally – e.g. from CETENA or CMT – or from a WP5 partner).
 - 4) Establish a contact with WEGEMT (European Association of Universities in Maritime Technology and Related Sciences) and its secretary general George Smyrnakis, providing him periodically with RAMSSES informative material and asking him to disseminate within the WEGEMT members.
- Dissemination activities to the scientific community
 - 1) Collect contact information from all RAMSSES partners about their naval architects national professional organizations or about other similar organizations (like for example the Hellenic Institute of Marine Technology).
 - 2) Contact both the above organizations and other similar ones like the Society of Naval Architects and Marine Engineers (SNAME), the Royal Institution of Naval Architects (RINA), the Institute of Marine Engineering, Science and Technology (IMarEST), the Chinese Society of Naval Architects and Marine Engineers (CSNAME), the Confederation of European Maritime Technology Societies (CEMT), periodically sending them RAMSSES informative material.

Status month 36 - Plans on the involvement of students within the RAMSSES project have been elaborated and implemented– The lead responsible partner for dissemination towards this target group, is NTUA, the National Technical University of Athens.

- The following dissemination activities to the academic community were taken:
 - 1) An initial mail list of contact persons in various university naval architecture departments worldwide (not including those participating in RAMSSES) has been created
 - 2) The list has been circulated to all RAMSSES partners in order to be populated with further entries.
 - 3) In addition, RAMSSES partners were asked, if they are interested in involving students or young graduates in the RAMSSES project providing them with certain projects (eg. diploma/ master thesis, internship,..)
 - 4) Once all partners provided their input, a RAMSSES presentation was prepared informing academia on the objective of the project, the methodologies used as well as the opportunities provided and the relevant contact points

- 5) The presentation was distributed amongst the partners networks, also sent to networks like SEA Europe and the WEGEMT network to share it within their networks.
 - 6) Contact with WEGEMT (European Association of Universities in Maritime Technology and Related Sciences) and its secretary general George Smyrnakis has been established, providing him with RAMSSES informative material and asking him to disseminate it within the WEGEMT members.
- Furthermore the dissemination activities to the scientific community, as described in the status report for Month 24 will be pursued.

Target group ‘Other sectors, material sciences’

Status month 36 - Several events have been held to strengthen cooperation and knowledge transfer with other industries. Every year during the project, RAMSSES invites experts from different sectors to share the knowledge through Technology Transfer Group (TTG) workshops. Detail information about the TTG workshops can be seen in chapter 4.1. Besides TTG workshops, CMT was also actively involved in organizing other knowledge transfer and future concepts discussion events such as future concepts workshop, CMT day, and ZAL workshop. The future concepts workshop and CMT day were held to discuss the current innovative solutions that should be used and adapted in the shipbuilding process to improve the production and maintenance process in the shipyard. ZAL workshop is the event where the shipbuilding industry meet the aviation industry to discuss common problems, requirements, priority for innovative solutions, and future collaboration in research and development project. Report and observation from the workshop are written in the WP03 deliverables.

3.3.3 Improving Competitiveness and Market Uptake

3.3.3.1 Plan

Table 3: Dissemination Plan summary – goal ‘Improving Competitiveness and Market Uptake’

To WHOM	WHY and WHAT	HOW	WHO*
Ship owners and Operators	Inform potential customers about the benefits and potentials, receive feedback to the work	Direct contact with end-users (consortium), Maritime Advisory Group with confirmed ship owners, dedicated information on leaflets, website, presentations, network of ECSA and national associations	WP03, 06: <u>DSNS</u> , BV,-RISE, CMT
European Shipbuilding & Equipment Community	Increase critical mass on the market, foster wider commercialisation of results, receive information on latest technical developments, establish cooperation	Dedicated workshops, conferences, flyer and video using the E-LASS, SMARTYards, and WATERBORNE network, SEA Europe, national associations, SME network of CMT,	WP05: <u>CMT</u> , <u>DSNS</u> , BV, AIMEN, NTUA,-RISE et al

To WHOM	WHY and WHAT	HOW	WHO*
		Cooperation agreements using available templates	
Investors, Banks, Insurance	Provide awareness for sustainable financing and life cycle cost efficiency	Direct contacts as established in previous projects (e.g. JOULES, LeanShips), focused articles and presentations	WP05, 06: <u>NMTF</u> ,-RISE, TNO, BV

3.3.3.2 Comments on status and further plans

Target group 'Ship owners and Operators'

Ongoing – Please refer to chapter 4.2 about the Maritime Advisory Group.

Target group 'European Shipbuilding & Equipment Community'

Status month 24 – Multipliers (associations of ship operators) were successfully invited to the Maritime Advisory Group (MAG). The first workshop of the MAG took place in June 2018 in St. Nazaire, France in the course of the third RAMSSES General Assembly, and was attended by operators (DANAOS, Royal Caribbean, Carnival Maritime) and maritime associations (eg. ECSA) ; CMT presented the RAMSSES project to some of the technical working groups for members in the German shipbuilders and offshore association (*VSM-Arbeitskreise*).

Status month 36 – The second workshop of the Maritime Advisory Group took place in Vigo, Spain in June 2019 and was included in the public E-LASS seminar on lightweight innovations. The attendance of this MAG meeting was limited, only two partners attended, and the envisaged open discussions within the public frame was hindered. As lessons learnt it was decided that MAG #3 will take place again behind closed doors with designated partners to attend the discussion. Due to the current COVID-19 pandemic, the MAG #3 needed to be postponed from June 2020 into September 2020. A fourth MAG meeting at the very end of the project, as initially foreseen, taking place during the RAMSSES final conference is still to be discussed.

Target group 'Investors, Banks, Insurance'

Some first activities – presentation to be held at the Dutch association of insurance companies to establish first connections (located near NMTF). In the next deliverable, an elaboration will be given regarding to this target group.

3.3.4 Remove external Barriers towards Application

3.3.4.1 Plan

Table 4: Dissemination Plan summary – goal 'Remove external Barriers towards Application'

To WHOM	WHY and WHAT	HOW	WHO*
Maritime rule maker (class, flag states, IMO)	Feed results and approach of RAMSSES (Fast Track to Approval)	Direct contact through consortium partners; common position papers,	WP06: <u>NMTF</u> , BV,-RISE, CMT

To WHOM	WHY and WHAT	HOW	WHO*
	into upcoming rules and regulations, receive feedback	project guidelines, project data base, participation to IMO meetings, communication to flag states, IACS, SEAEurope (NGO in IMO)	
Cross-industry standards (ISO)	Transmit findings and needs to standards to increase critical mass across sectors	Technology Transfer Group, dedicated partners working in standard committees on EU and national level, common positions, regular information	WP06:-RISE, FHG, NETCOMP, TNO, BV
Research Admin. and funding authorities	Ensure consideration of achievements and RDI needs for future research programmes	Reports to COM, WATERBORNE ETP, EFFRA**, EU associations, contact with national governments	WP05: CMT, RISE, TNO, NTUA, AIMEN et al

3.3.4.2 Comments on status and further plans

Target group ‘Maritime rule maker (class, flag states, IMO)’

Status month 24 – Partners of WP06 have strong connections and close relationship with class societies, flag states and IMO. WP06 has been continuously interacting with them to discuss the development of rules and regulations and feed the results of RAMSSES into the rule making process.

Status month 36 – The RAMSSES project’s suggested approach (‘Smart track to approval – STtA’) has been introduced to the International Maritime Organization’s Sub-Committee on Ship Design and Construction (SDC) in a lunch break presentation during the SDC7 session in London on February 03rd, 2020. From RAMSSES’s perspective, chances are good that the suggestions will be addressed in the upcoming SDC sessions on further rule development.

More details will be given in the following deliverables:

- D06.2 (Confidential) Report on Rules and Policy Interaction; IPR issues (PM12)
- D06.3 (Confidential) Updated Report on Rules and Policy Interaction; IPR issues (PM24)
- D06.5 (Confidential) Final Report on Rules and Policy Interaction; IPR issues (PM45)
- D06.7 (Public) Final recommendations to rules and policy makers (PM48)

Target group ‘Cross-industry standards (ISO)’

RAMSSES will monitor/follow the activities at the TTG to identify if there are any ISO/non-IMO standards that can be beneficial for the maritime area to adopt or refer to for maritime applications. Plans for further activities aiming at developing cross-industry standards will be developed during the project. When developing the suggested Smart Track to Approval (see

Deliverable D06.4

above), RAMSSES made use of an existing standardised risk scenario approach which is in place for the approval procedure for new materials in the construction industry.

Target group 'Research Admin. and funding authorities'

Status month 24 – Not commenced yet – detailed plan and first activities will be reported in a later stage of the project

Status month 36 – CMT, NMTF and other RAMSSES project partners are prospective members of the proposed Partnership 'Zero Emission Waterborne Transport' which provides suitable channels to communicate any observed technology gaps, research needs or other barriers which impede further and wider use of material innovation in the maritime industry. Use of this opportunity will be made in the last period of the project.

4 Dissemination Activities (CMT,BAL)

Main author of the chapter: Matthias Krause, CMT

4.1 Technology Transfer Group (TTG)

This chapter provides a summary about the TTG and first related activities. More details will be given in the Deliverables:

- D03.2 *First report on Technology Transfer & Future concepts* (PM12)
The first TTG workshop has been held on 30th January 2018 in Borås, Sweden. The main topic of the first TTG presentation focusing on quick assembly strategies. Experts who are coming from the rail (NewRail), aviation (ZAL), and infrastructure (Infracore) industry shared their expertise on the methodologies, innovations, and solutions for quick assembly that could be applied and bring advantages to the shipbuilding industry. The complete presentation and the observation of the first TTG workshop can be found in D03.2 [1].
- D03.3 *Updated report on Technology Transfer & Future concepts* (PM24)
The second TTG workshop was focusing on the innovative lightweight materials and the development of rules and regulatory frameworks to approve the application of the new materials. The speakers were coming from the experts on the material qualification in the aeronautic sector (GMA-Werkstoffprüfung GmbH), infrastructure sector (Infracore), and university (Southampton University). The qualification process for innovative material can be started from the definition of the structure and materials before the analytical analysis can be performed. Subsequently, the analytical analysis should be supported by experimental testing on the material and the structure. The complete presentation and the observation of the first TTG workshop can be found in D03.3 [2].
- D03.4 *Final report on Technology Transfer & Future concepts* (PM 48)

All deliverables contain sensible and confidential information, therefore access to deliverable can be requested to the project coordinator.

4.1.1 Approach

In aviation and automotive industry, the application of advanced material like composites or HSLA had been used long time before the maritime industry started to use it. Hence, it is important to learn from other industries to minimize the trial and error time during the exploration of the new materials. The objective of this dissemination activity is to facilitate the technology transfer between maritime industries with material research in other industries (automotive, rail, aeronautics, etc).

In order to meet the dissemination objective, the Technology Transfer Group (TTG) which consists of experts from other industries needs to be formed. The TTG has the responsibility to provide the information on possible technologies that could be applied in the maritime industry. Moreover, it will also advise RAMSSES partners on the advanced materials or production processes which had been researched by them, and enlighten the audiences of the advantages/disadvantages from technical, economical, and sustainable point of views.

The dissemination process will be applied by organizing public event, workshop, and providing reports from the RAMSSES TTG members, and the works are related with WP 03. A minimum of 4 reports which are related and adaptable in maritime industry need to be provided. TTG members also need to send their experts to attend the workshops which are arranged by the consortium, and to present their reports to public audiences or to RAMSSES partners.

4.1.2 Status and outlook

During the first eight months of the RAMSSES project, CMT created the invitation of potential members and successfully recruited them to join the TTG. They are mostly coming from research organizations with background from aviation, automotive, rail, and material science. The list of TTG members can be seen in Table 5. The involvement of TTG members on internal dissemination activities started at the 3rd RAMSSES General Assembly meeting in Sweden. Depending on the particular focus of the member and/or the industry they represent, the members will either present the topic of ‘quick assembly technology’ or ‘innovative production technology’. It is expected that during the workshop the presenter and the audience will discuss the possibility, the advantages/disadvantages of the process in maritime application.

The next step of this dissemination activities is planning another 3 workshops to discuss further topics. Till now, the consortium identified a list of favourite topics that could be concentrated on in future workshops:

- innovative materials
- rules & regulation
- circular economy

Table 5 Technology Transfer Group members

Company	Industry	Topic of Knowledge transfer
ZAL Zentrum für Angewandte Luftfahrtforschung GmbH	Aviation	Composite material, fuel cell, Factory of the future, maintenance, repair, and overhaul
Das virtuelle Fahrzeug, Forschungsgesellschaft mbH (Virtual Vehicle Competence Center, V₂C₂)	Automotive & Rail	Advanced materials for safe and environmentally friendly vehicles in the road and rail
NewRail	Rail	Application of new and lightweight material
InfraCore (RAMSSES partner)	various	Advanced material in multi industries application, e.g. construction industry

4.2 Maritime Advisory Group

This chapter provides a summary of the MAG and the first related activities. More details are given in the Deliverable D03.1 *Installation of Advisory Group and Collaboration Plan* (PM06).

4.2.1 Approach

In order to improve the research result in RAMSSES, the requirements on new material and technologies should involve the knowledge on market innovation and opinions of the end user. Hence, the RAMSSES consortium decided to create a Maritime Advisory Group (MAG) which involves ship owners/operators and their associations. Besides inbound information flow (i.e. gaining input for RDI purposes), the MAG will also be a means to organise outbound flow (i.e. informing potential customers about the project’s benefits and their potential). Thus, the MAG is a contribution to implement the dissemination strategy towards the corresponding target group.

For the purpose of keeping the detailed work in RAMSSES confidential and meeting the objectives of MAG, separate workshop for MAG members will be conducted annually. Moreover, the works are connected with dissemination and network activities in WP 05 where appropriate. However, the MAG members will not be able to attend the General Assembly meeting or other meetings which can show

them the detailed process in the RAMSSES project. If MAG members have interest in the results within the RAMSSES project to be applied in their product or process production, they can do direct communication with RAMSSES work package partners. Hence, it is necessary for work package partners to introduce the RAMSSES project to their customers or suppliers and suggest them to join the MAG. Moreover, there will be 4 MAG workshops during the RAMSSES project. MAG members are required to attend at least 3 workshops and send their expert in the topic selected for each workshop.

4.2.2 Status and outlook

After eight months of RAMSSES project, the WP leaders had given suggestions on the potential members of the MAG. Subsequently, CMT with helped from WP leaders, created and circulated an invitation letter to join the MAG, along with some basic information about RAMSSES. There are 9 companies which have confirmed their participation as a member of the MAG. They are mostly coming from ship owners/operators and related associations. The RAMSSES CMG considers this a sufficient amount to start a useful cooperation. However, latecomers can still be accepted to join the MAG. The list of RAMSSES MAG can be seen in Table 6.

The first MAG workshop was conducted June 2018 in St. Nazaire, France. Prior to that, a Memorandum of Understanding was distributed to formally agree on the terms of cooperation including a questionnaire to investigate the MAG members' expectations. Questionnaire answers were analysed to support the preparations of the first MAG workshop in line with MAG members' expectations. Also, a RAMSSES dossier was given to MAG members prior to the workshop (including confidential information, after it has been agreed by the consortium). , and a questionnaire to investigate the MAG members' expectations. Questionnaire answers will be analysed to prepare the first MAG workshop as expected by MAG members. 7 MAG members (ECSA, RCCL, CMAL, Pro Danube, DANAOS, Stena, Aero Kommune (E-Ferry project)) attended the workshop. During the workshop, CMT introduced the RAMSSES project followed by DSNS who presented the development of a custom-made hull in their work package. To give understanding about the benefit of the application of innovative materials during the life cycle of the ship to MAG members, RAMSSES partner Balance presented how RAMSSES project involves LCPA analysis in each component and demo case work package. Moreover, NMTF also presented the smart track to approval approach to assure the standardisation, simplification, and evolving of the regulatory regime of innovative materials in the RAMSSES project.

The second MAG workshop was conducted on June 2019 in Vigo, Spain. A newsletter about the development of RAMSSES project was given to MAG members couple weeks before the event. The MAG workshop was combined with E-LASS event. Two MAG members attended the event (Danaos and Royal Dutch Navy). During the event, the MAG members were presented with the development of the RAMSSES project. Due to the combined event, a constructive discussion, and feedback between RAMSSES and MAG members was hard to achieve. Therefore, RAMSSES consortium agreed that the next MAG workshop should be separated from E-LASS event.

Table 6 Maritime Advisory Group (MAG) members

Company	Ship types/industries represented
DANAOS Shipping	Container vessels
European Community Shipowners' Associations (ECSA)	Various (association)
Pro Danube	Various inland water vessels and infrastructures (Danube river)

Deliverable D06.4

Company	Ship types/industries represented
Royal Netherlands Navy	Patrol vessels
STENA	Ferries (Baltic sea)
Styrsöbolaget	Ferries (municipal/coastal areas)
Royal Caribbean Cruises LTD (RCCL)	Cruise vessels
Carnival Maritime	Cruise vessels
Caledonian Maritime Assets Ltd (CMAL)	Ferries and infrastructures (Scotland)

4.3 RAMSSES Project website (CMT)

The RAMSSES project website was launched in November 2017. It provides an overview of the project and its single demo cases and will be updated on a continuous base. For more in-depth information the deliverable D5.1 provides a detailed report on the website.

Upcoming public events with the E-LASS network are regularly announced on the project website, as well as the reports on the meeting. As the general intention is to create a sustainable network beyond the time frame of the RAMSSES project, it was jointly decided that the main platform for communicating the events as well as the place for accessing the presentations held during this events will be the E-LASS website.

4.4 Project Flyer (CMT)

During the proposal stage of the RAMSSES project as one of the dissemination measures it was decided to create a project flyer. Within the first internal meetings with the dissemination team it was decided to create a project poster instead of a flyer. One major decision driver was the participation of RAMSSES on the Waterborne booth at the Transport and Research Arena 2018 which took place in Vienna, Austria from 16th to 19th of April 2018. At this booth, RAMSSES was one of five H2020-projects to be presented with a poster in square format. From this initial design a poster in DIN-format and a file for printing roll-up has been derived. All dissemination material is available for download on the RAMSSES website as well as the PM tool BAL.PM

4.4.1 E-LASS

As agreed in an early stage of the project, RAMSSES will establish a sustainable network that will maintain a platform for information exchange and cooperation after the end of the project. E-LASS, the network for lightweight applications at sea, is the strategic partner for achieving this goal. E-LASS is a joint initiative by the RAMSSES partners RISE and CMT as an outcome of the two projects LASS (Swedish national funding) and DE-Light Transport (EU-FP5). Today, the network comprises approx. 310 member organisations, all being experts with a focus on lightweight applications in the maritime area.

Together with RAMSSES, E-LASS organises workshops on a semiannually basis, including technical visits of relevant industry sites. As RAMSSES and E-LASS share the same aims, it was decided, that RAMSSES and the E-LASS network will join forces by organising the E-LASS workshops together. To create synergies and to save resources, E-LASS workshops have been combined with RAMSSES General Assemblies. The first workshop organised in that way took place in Pula on October 11th, 2017 (pictures: Figure 3, Figure 4; conference agenda: Table 7).



Figure 3: Tommy Hertzberg, coordinator of the E-LASS network, opens the workshop in Pula



Figure 4: E-LASS members inspecting Composite car decks during the industry tour at Uljanik shipyard, Pula

Table 7: Agenda of the RAMSSES/E-LASS conference in Pula

E-LASS		E-Lass Conference		
11.10.2017, Hotel Histria, Pula				
Lightweight Applications				
08:15	08:30	Welcome to Uljanik	Aleksandar Kajtez	Uljanik
08:30	09:10	Uljanik composite RoRo-deck project	Vito Radolovic, Michael Rahm	Uljanik / RISE
09:10	10:00	Composite Tween Deck for Bulk Carrier – Testing of a Full-scale Prototype	Philippe Noury, Ragnar Hansen, Lars Espen Holm	DNVGL/ HEAC/ CompOcean
10:00	10:20	FAUSST - novel solutions for composite-steel joints	Rafael Luterbacher	Center of Maritime Technologies e.V.
10:20	10:45	Coffee break		
10:45	11:05	Lightweight structures	Lars Molter	Center of Maritime Technologies e.V.
11:05	11:25	Composite hatches and doors	Arnold Vaandrager	Vabocomposites
11:25	11:45	PET-based core material	Stefan Reuterlöv	Armacell
11:45	12:05	Basalt fibres for composites	Wouter Verbouwe	Basaltex NV
12:05	13:00	Lunch		
Innovation Actions				
13:00	13:30	The RAMSSES project	Carlo Cau, Matthias Krause	Cetena, Center of Maritime Technologies e.V.
13:30	14:00	Project cooperation opportunities in RAMSSES	Frank Roland	Center of Maritime Technologies e.V.
14:00	14:30	GasVessel - technologies and its application in the maritime and civil sector	Pierluigi Busetto	Navalprogetti
14:30	15:00	Coffee break		
Rules and Regulations				
15:00	15:20	New materials attached to offshore practice	Agnes-M. Horn, Ramin Moslemian, Philippe Noury	DNVGL
15:20	15:40	IMO FRP regulation status	Franz Evegren	RISE
15:40	16:00	Modernising composite materials regulations	Simon Quinn	University of Southampton
16:00	17:00	Discussion: approaches to improve innovation capabilities	Arnold de Bruijn (moderator)	Netherlands Maritime Technology Foundation
sponsored by:   				

Since then, five further joint workshops took place. In January 2020 E-LASS joined forces with the German maritime lightweight network MariLight.Net. As result, a joint event bringing together the RAMSSES consortium with the German and the European lightweight networks was organised. The public event, which took place in Bremen, Germany was attended by more than 120 persons. In the following to this event, E-LASS memberships and hence the size of the network was further increased.

4.4.2 Social Media

In order to raise additional awareness for the RAMSSES project, a profile on the social network platform LinkedIn was created. With the support of some selected RAMSSES partners, steady posts on project developments lead to a growing community that follows the RAMSSES project.

Currently, there are 367 followers who have subscribed to the RAMSSES channel on LinkedIn. In the last 12 month 26 announcements have been posted, on average 2 times per month. The most popular post was the review of the joint public event of both the maritime lightweight networks, the German MairLight.Net and the European E-LASS, generating 2.754 Impressions, 475 Klicks and 56 reactions. Posted on January 30th, 2020.

4.5 Project video

In the RAMSSES project a short film will explain the motivation for and developments achieved in RAMSSES. The project video will have a length of approx. 3-4 minutes. Besides that, there will also be a video on each of the thirteen demo cases with a length of approx. 2 minutes per video. As far as possible, the videos will be produced at an early stage of the project, so they can be used during the time of the project in various dissemination activities.

The WP05 budget (personnel and other costs) allocated to production of videos will be used to cover efforts for postproduction costs whereas the DC leaders, especially large companies, will cover the costs for the production at site (CMG decision, approved by SG). Where required and if budget permits, WP05 resources will also be used to support the video production activities at site of smaller companies (BaltiCo, MEC, PodComp, Baltic Workboats).

The first demo case video was filmed at Uljanik Shipyard in Pula and 3. Maj Shipyard in Rijeka during the second General Assembly and the E-LASS industry tour (see 4.4.1). It can be found at the RAMSSES website and will be presented on the Waterborne stand at the upcoming TRA2018 conference in Vienna in April 2018.

During the 7th RAMSSES General Assembly, which took place in Germany, interviews were conducted with all WP leaders which will be used for the production of the demo case videos.

According to the state of development of the single demonstrators, the general RAMSSES film will cover three major achievements obtained:

- The no emission lightweight catamaran made of a truss structure produced via an innovative rod placement technology developed by BaltiCo and partners in WP09,
- The 3d-printed metallic propeller with hollow core using innovative WAAM technology developed by Naval Group and partners in WP11 and
- The 6m high hull section made of composites using an innovative vertical infusion process developed by DAMEN and partners in WP17.

In addition, the film will also include an overview of innovative steels and repair regarded in the RAMSSES project as well as an introduction of the assessment and approval process of the 13 demonstrators as additional factor in the project.

The outstanding demo cases will be considered for upcoming productions and clustered in videos of 3-4 demonstrators depending on their state of development.

4.6 Cooperation with projects

In order to improve the quality of the research, besides the already formed TTG and MAG, the RAMSSES consortium is also interested to collect information from other projects (ongoing and previous) to enhance the RAMSSES knowledge repository and create cooperation with other consortia. The objective for this action is to collect the test results, design solution, and lesson learnt from other projects by getting the permission to access their public summaries or confidential report which might be helpful for research in RAMSSES.

The other objective of this action is to exchange ideas and results of the RAMSSES project with other project consortia and to look for synergies and fields for collaboration. From the subchapters below, some short descriptions about the identified projects can be derived that might be very beneficial for RAMSSES to exchange project information. The consortia of each project have been contacted and they agreed to exchange information with RAMSSES.

4.6.1 E-ferry

4.6.1.1 Basic information

- Current status: completed
- Funding: EU H2020 MG-4.1-2014
- Area: completely electrically powered ferry for passengers and vehicles

4.6.1.2 Abstract

“E-ferry addresses the urgent need for reducing European CO2 emissions and air pollution from waterborne transportation by demonstrating the feasibility of a 100% electrically powered, emission free, medium sized ferry for passengers and cars, trucks and cargo relevant to island communities, coastal zones and inland waterways. The vessel will be based on a newly developed, energy efficient design concept and demonstrated in full-scale operation on longer distances than previously seen for electric drive train ferries (> 5 Nm), i.e. the medium range connections Soeby-Fynshav (10.7 Nm) and Soeby-Faaborg (9.6 Nm) in the Danish part of the Baltic Sea, connecting the island of Aeroe (Ærø) to the mainland. E-ferry builds on the Danish ERDF funded project Green Ferry Vision proving feasibility of the concept to be demonstrated and indicating significant potential impacts compared to conventionally fuelled ferries operating on the same medium range routes; energy savings of up to 50%, annual emission reductions of approx. 2,000 tonnes CO2, 41,500 kg NOx, 1,350 kg SO2 and 2,500 kg particulates. E-ferry is likely to be the one with the largest battery-pack ever installed in a ferry with a record breaking high charging power capacity of up to 4 MW allowing for short port stays. On top of being 100% powered by electricity, the innovative novelties of the E-ferry design concept and its expected impacts addresses flaws in current state-of-the-art by demonstrating a concept based on optimised hull-shape, lightweight equipment and carbon composite materials, ensuring reduced weight by up to 60% on parts replaced by composite elements. Approval of the use of carbon fibre-reinforced composite modules in E-ferry’s superstructure according regulation through material and fire testing also is key to the project.”

4.6.1.3 State of collaboration

- Trine Heinemann, project coordinator of the E-ferry project has been an active member in the RAMSSES MAG, also beyond the E-ferry project lifetime.
- Steady presentations on the developments of the project during the E_LASS events, a continuous exchange between the two projects was provided.

- E-ferry invited RAMSSES to present on their final conference, which unfortunately must have been cancelled due to COVID-19.

4.6.2 FibreShip

4.6.2.1 Basic information

- Current status: ongoing
- Funding: EU H2020 MG-2.2.2016 (funded under the same call topic as RAMSSES)
- Area: Ship hull entirely made of FRP

4.6.2.2 Abstract

“The main objective of the FIBRESHIP project is to enable the building of the complete hull and superstructure of large length sea going and inland ships in FRP materials by overcoming the above-mentioned challenges. In order to achieve this objective, the project will develop, qualify and audit innovative FRP materials for marine applications, elaborate new design and production guidelines and procedures, generate efficient production and inspection methodologies, and develop new validated software analysis tools. Clear performance indicators will be designed and applied in the evaluation of the different solutions developed for three targeted vessels categories (Light commercial Vessels, Passengers transportation & leisure Vessel, Special Services Vessel). Finally, the different technologies generated in FIBRESHIP will be first validated and then demonstrated by using advanced simulation techniques and experimental testing on real-scale structures.” [3]

4.6.2.3 State of collaboration

Status month 24:

- Mutual participation in the projects’ kick-off events, exchange of information and ideas
- Deeper collaboration with FibreShip is sought especially by RAMSSES WP17 (*Demo Case Custom made hull for offshore vessel*) and WP06 *Rules and Regulations, Exploitation*.

Status month 36 – The collaboration with FIBRESHIP is very lively and fruitful. CMT was present at a public FIBRESHIP workshop, and the FIBRESHIP Coordinator attended RAMSSES/E-LASS events (Vigo 2019, Bremen 2020). The most important and successful part of the collaboration is the development of a joint presentation at IMO’s SDC7 session about the Smart Track to Approval (see chapter 3.3.4).

4.6.3 GasVessel

4.6.3.1 Basic information

- Current status: ongoing
- Funding: EU H2020 MG
- Area: Compressed Natural Gas Transport System (here, vessel means tank, not ship)

4.6.3.2 Abstract

“The GASVESSEL aims to prove the techno-economic feasibility of a new CNG transport concept enabled by a novel patented Pressure Vessel manufacturing technology and a new conceptual ship design including safe on- and offloading solution. It carries out research and innovates different steps in the value chain from a decision support model to simulate and benchmark scenarios until the process of ship design, new Pressure Vessel designs and manufacturing as well as novel high pressure on- and offloading. The project will make it possible to supply natural gas to places where natural gas is not yet a part of the energy supply e.g. where large investment in regassifiers are not feasible or done (yet) such as the Mediterranean Islands.

The concept offers novel cost-effective gas transportation and hence promising prospects to start using and monetizing the huge amount of currently wasted (flared), stranded and associated gas which is currently wasted or not used, while contributing to reducing an important environmental side effect of global oil exploitation. The validation and proof of concept of the GASVESSEL project is performed by a

cost-benefit analyses (financial viability), safety assessment, environmental impact analyses and value chain business cases development in relation to real-life geo-logistic scenarios.” [4]

4.6.3.3 State of collaboration

- The Coordinator of GASVESSEL gave a detailed overview presentation at the E-LASS event in Pula
- RAMSSES and GASVESSEL have various requirements and interests in common. Exchange will be continued, further collaboration is sought.

4.6.4 ADAM4EVE (finished project)

4.6.4.1 Basic information

- Current status: finished
- Funding: EU FP7
- Area: Adaptive and smart materials and structures for more efficient vessels

4.6.4.2 Abstract

“ADAM4EVE – is an EU FP7 project that focuses on the development and assessment of applications of adaptive and smart materials and structures in the shipbuilding industry.

Materials and structures are called adaptive if they can change certain properties in a predictable manner due to the forces acting on them (passive) or by means of built in actuators (active). Those materials and structures are referred to as smart if they provide best performance when operation circumstances change.

The main idea of ADAM4EVE is to explore the potentials of adaptive materials and structures in ships and pave the way for industrial application. This will allow ships to react more flexible to changing operational and environmental conditions and thus to operate more efficiently and environmentally friendly, while at least maintaining the safety level. Moreover, the use of smart and intelligent materials will allow offering new functionalities, making ships more attractive to operators and passengers.” [5]

4.6.4.3 State of collaboration

The ADAM4EVE consortium has been requested for approval to share project results with RAMSSES knowledge base. The partners who have answered so far (the period for answering is still ongoing) do not object, and they support the idea of collecting project results in a common knowledge base.

4.6.5 QUALIFY

4.6.5.1 Basic information

- Current status: ongoing
- Funding: EU Interreg
- Area: Ship hull entirely made of FRP

4.6.5.2 Abstract

“The Interreg project Qualify aims to remove the technological and regulatory barriers that currently prevent the widespread application of hybrid structures (metal/composite) in the industry. It will deliver the knowledge and the guidelines that the industry needs to pursue certification of adhesively bonded hybrid joints for primary structures in marine applications.

The approach proposed requires a combination of capabilities and experiences not available within the national borders of individual participants The innovative approach is the combination of state-of-the-

art knowledge with the experience of the classification societies and that of end-users: physically-based models, developed in previous and parallel projects that describe the adhesive bond performance, will be further expanded to include the relation to environmental conditions; they will be extensively tested and validated, giving reliable prediction of performance in real operating conditions. To shorten the testing time, unique accelerated test methodologies and equipment will be developed, to reflect the lifetime of the bonded structure with one month of testing. For the first time in the industry, an inspection and monitoring protocol will be developed, using advanced sensing technologies, as well as an innovative in-situ repair technology. These innovative advances will enable certification of composite superstructures using steel/composite adhesive bonds for their use in primary structures in marine applications.” [6]

4.6.5.3 State of collaboration

- Status month 24 – For QUALIFY project, Center of Maritime Technologies e.V (CMT) is responsible as a project’s observer. CMT will provide information and connecting the QUALIFY project with other projects. Hence, CMT will connect the QUALIFY and RAMSSES projects, create synergies and exchange information.
- Status month 36 – CMT attended two of the QUALIFY events:
- General QUALIFY Assembly in Portsmouth on November 30, 2018, including a meeting with the observers group
- Public workshop in Rotterdam on June 18, 2019 – including an overview presentation about RAMSSES, given by CMT

4.6.6 DE-LIGHT Transport

4.6.6.1 Basic information

- Current status: finished
- Funding: EU FP6
- Title: Developing lightweight modules for transport systems featuring efficient production and lifecycle benefits at structural and functional integrity using risk based design

4.6.6.2 Abstract

“DE-LIGHT Transport (Developing Lightweight Modules for Transport Systems Featuring Efficient Production and Lifecycle benefits at Structural and Functional Integrity using Risk Based Design). Complex lightweight modules for ships and railway will be developed using risk based design methods. The modules will contain structural and outfitting components. The modules can be efficiently pre-assembled under favourable working conditions using economy of scale. Modules can be adapted to customer needs thus featuring structural and functional integrity, improved safety and environmentally friendliness as well as efficient operation and reduced life cycle cost. The development of lightweight modules will thus contribute to increase the competitiveness of European producers and operators of transport systems. The application of risk based design methods will allow to develop highly innovative solutions exceeding the range of existing classification rules by exploring new material combinations, innovative joining, assembly and pre-outfitting techniques. The scope of applications followed by DE-LIGHT reaches from passenger and RoRo ships, through cargo and short sea ships, to inter-modal transport”. [7]

4.6.6.3 State of collaboration

The DE-LIGHT Transport consortium has been requested for approval to share project results (test reports) with the RAMSSES knowledge base. The partners have agreed.

4.6.7 HOLISHIP

4.6.7.1 Basic Information

- Current status: ongoing
- Funding: EU H2020
- Title: HOLIstic optimisation of SHIP design and operation for life cycle

4.6.7.2 Abstract

“Most maritime products are typically associated with large investments and are seldom built in large series. Where other modes of transport benefit from the economy of series production, this is not the case for maritime products which are typically designed to refined customer requirements increasingly determined by the need for high efficiency, flexibility and low environmental impact at a competitive price. Product design is thus subject to global trade-offs among traditional constraints (customer needs, technical requirements, cost) and new requirements (life-cycle, environmental impact, rules). One of the most important design objectives is to minimise total cost over the economic life cycle of the product, taking into account maintenance, refitting, renewal, manning, recycling, environmental footprint, etc. The trade-off among all these requirements must be assessed and evaluated in the first steps of the design process on the basis of customer / owner specifications. Advanced product design needs to adapt to profound, sometimes contradicting requirements and assure a flexible and optimised performance over the entire life-cycle for varying operational conditions. This calls for greatly improved design tools including multi-objective optimisation and finally virtual testing of the overall design and its components. HOLISHIP (HOLIstic optimisation of SHIP design and operation for life-cycle) addresses these urgent industry needs by the development of innovative design methodologies, integrating design requirements (technical constraints, performance indicators, life-cycle cost, environmental impact) at an early design stage and for the entire life-cycle in an integrated design environment. Design integration will be implemented in practice by the development of integrated design s/w platforms and demonstrated by digital mock-ups and industry led application studies on the design and performance of ships, marine equipment and maritime assets in general.”

4.6.7.3 State of Collaboration

The collaboration is related to the work in WP13. The work package leader and member, Meyer Werft and CMT involve both of the projects. The know-how and lesson learned during process engineering work to use lightweight material have been shared to create a better plan during the design and assembly process in the shipyard.

5 Exploitation Plan

Main author of the chapter: Arnold de Bruijn, NMTF

Exploitation of results is an important aspect of the RAMSSES project, since it relates directly to Objective 1 of the RAMSSES project:

“The RAMSSES Demonstrator Cases (Demos) will foster the use of new materials in real applications with high market potential”

To prove this potential each demonstrator case is required to make an exploitation plan and a business plan in which both the commercial and non-commercial use of the demonstrator cases are outlined and made measurable as far as reasonable and practicable. This enables the monitoring of results of all demonstrator cases and their combined impact.

An initial exploitation plan was included in the DoA (2.2.4) and has been used as basis for this document, it is repeated in subchapter 5.1. Then subchapter 5.2 outlines the process and timeline of monitoring the results of all demonstrator cases and the combined impact. Subchapter 5.3 provides templates for the demonstrator cases to develop their exploitation and business plan. A full list of exploitable results is presented in subchapter 5.4. Subchapter 5.5 covers IPR within the RAMSSES consortium, in which an overview is given regarding the preliminary choices/preferences of IPR tools amongst partners. Finally, subchapter 5.6 covers multiple forms of exploitation and the proceeding of the exploitation plan.

It is expected that in future updates of this deliverable subchapters are added with guidance on the monitoring of exploitation.

This document (D06.4) has been updated and developed regarding exploitation, the final version will be consolidated at the end of the project (D06.6).

Part of the contents of this report and its updates might also be used to contribute to the development of new rules and standards, therefore we will include references to other deliverables covering this subject (D06.4)

5.1 Exploitation plan from proposal phase

Exploitation/Business Plans to exploit project results and achieve the impact described in this chapter are:

- The Exploitation Plan is meant for the usage and exploitation of project results by the partners who have access to these results. Results listed in the exploitation plan can be tangible outputs, e.g. prototypes, drawings or intangible outputs e.g. know-how, data or solution catalogues. Those results can be used for commercial purposes, but also as training material, for future research etc. The Exploitation Plan includes:
 - a list of project results for each Work Package and from the entire project;
 - a description of those results, including the possibilities to use and IPR rights related to them;
 - a description of the exploitation plans for each partner.
- A Business Plan refers to the commercial use of results. It is therefore covering a sub-group of results presented in the Exploitation Plan and their use primarily by industry partners. The

Business Plan is meant to ensure market uptake and contains business goals and the assessment of their achievability (e.g. supported by a SWOT analysis, market analysis, customer review), and a plan on how the business goals shall be reached.

Both Plans will be stepwise developed during the project

5.1.1 Commercial use of results

The RAMSSES partners will use the project results according to their specific fields of activity:

Commercial Use of Results

- Shipyards and ship equipment suppliers will use the results to improve their products, hereby strengthening their market position, explore new market segments and gain new customers;
- Engineering service providers, classification societies and research centres will improve their services and adapt them to the latest technological developments, hereby ensuring market leadership in advanced technologies and engineering methods
- Knowledge and data generated in RAMSSES will also be used in the discussion with banks and insurance companies to improve the financing conditions for innovative technologies.

5.1.2 Non-commercial use of results

Non-Commercial Use of Results will be implemented as following:

- All those groups jointly will use the results and knowledge gained from the RAMSSES project to contribute to the development of new rules, regulations and legislation and to provide feedback to policy making;
- Associations and research centres will use the knowledge and results to improve services towards their members to develop the European RDI network and to inform them on latest technical developments;
- All partners will use results for further developments, the definition of future research needs and use the knowledge to increase their competences in research, development and innovation;
- Academic partners, associations, research centres and industry will use the knowledge gained through the project to develop training material both for graduate and post-graduate academic and vocational training.

Table 8 presents draft intentions of selected partners for non-commercial exploitation of RAMSSES results.

Table 8: Plans for non-commercial exploitation

Partner	Exploitation Plan
Academia / Research Institutes	
CMT	Will use the results to improve their services to the European and German shipbuilding industry in developing and coordinating complex projects in the area of maritime materials and constructions.
SICOMP	Will improve their advisory services and testing capabilities for companies in the area of determining properties of complex composite materials
RISE	Will apply the extended knowledge on testing of fire properties of composite materials for improving their services and testing capabilities

FHG	Will improve their knowledge on mechanical testing of small scale composite structures in order to better advice and support the maritime industry
TNO	Will be able to provide better advice to designers of large scale composite structures and will utilise the experience gained in mechanical testing of these structures for services to yards and engineering companies
ENSTA	Will utilise the experience gained in testing of complex 3D component to increase their competences in research and education, and will offer their improved testing capabilities to industry
ECN	Will expand their knowledge of additive manufacturing of complex 3D structures to improve their scientific and technical skills and competences for future research and services.
AALTO	Will improve their capability to provide scientific advice on application of high tensile steel in cruise ship structures
NTUA	Will use the knowledge on High Tensile Steel gained in the project to increase the competences in research and education, to increase their scientific reputation by publications in scientific journals and conferences
NMTF	Will utilise the strategy and long term plan for evolving the maritime regulatory regime in their advisory role to the national flag state, and will initiate and support innovation projects for the Netherlands maritime sector in the area of new materials
AIMEN	Will apply the gained knowledge on properties of High Tensile Steel to improve their advisory and testing services to the industry
Classification Societies	
BV	Expects to increase knowledge and competence to support shipyards and ship-operators in selecting technologies for application of lightweight materials that better address reduction of ships weight and production costs and meet stringent IMO and SOLAS regulations

While commercial exploitation potentials have been described above, the following tables describe the expected business potentials from the perspective of the consortium and in view of an external market uptake. The overview presented is the result of interviews with consortium key partners. It contains indicative figures that partners were able to provide at this stage. They will be complemented by a comprehensive market study supported by marketing experts of key industry players as well as by exploitation plans by all RAMSSES partners during the project.

Expected business potentials and market uptake by RAMSSES partners

The partners of RAMSSES will be the first to apply the innovative solutions demonstrated in the project in their businesses. The consortium represents about 50% of Europe's total shipbuilding production value. The strength of project with regard to the commercial uptake of results can be illustrated by some statements of key partners on their intended exploitation and market uptake. These statements will serve as starting point for the exploitation and business plans, which will be developed during the project by each demo in compliance with Obj.1.

D. Büchler, CEO (BALTICO-WP09): *"we are an innovative SME and expect to achieve a flexible industrial serial production of composite components within RAMSSES. The modular approach will*

allow up to 25% cost savings in the production, making custom-made lightweight solutions “affordable”. This will both improve the competitiveness of BALTICO and expand the market for advanced material solutions in maritime and other sectors in which we are active. The modular system including dedicated joining elements will allow to use mechanical joining (screws and bolts) to connect the elements on board, thus avoiding both welding and bonding to a large extent.”

P. Lundmark, CEO (PODCOMP-WP10): “PODCOMP aims to deliver 7.000m² in the first year after the project with a turnover of 1.4 Mill. €. This would be an additional product for our production line and would require an additional workforce of 3 employees. It is expected that the maritime market will request in the medium term 70.000m² per year. The wall system which will be developed in RAMSSES can be applied in cabins with a production volume of more than 60.000m² per cruise liner. We are prepared to produce about 30.000 m² per year, expecting the market for this product to triple within the next 5 years.”

M. Morel, R&D manager (NAVAL GROUP-WP11): “The ship propeller market is projected to grow \$6 Billion by 2020 at a CAGR of 10 % according to a recent study of MarketandMarket US firm which is the No 2 world sources in terms of annually published premium market research reports. In this competitive market, 3D additive process in producing serial blades in innovative material, will provide differentiation to propeller manufacturers for important market take up.”

J. Mehldau, Head of R&D (BMS-WP12): “RAMSSES allows to continue innovate and show the feasibility of larger composite rudder components. This provides the option to reduce costs in our value and supply chain. Using composites more complex geometries can be manufactured, leading to load and hydro dynamical optimised rudder flaps. In addition, the using composites will make it possible to reduce weight, material consumption, maintenance costs, installation efforts, transport costs and lead times. The expected results will enable European equipment manufacturer to keep up competitiveness especially for the shipbuilding market in Asia.”

H. Josef Mammes, Head of Research (MW-WP13): “We intend to use RAMSSES results in coming cruise ship orders, in particular the 11 ships we have in our order book for the next five years. Interior walls system and modular lightweight superstructure are excellent applications for new material solutions. Discussions with our customers, Norwegian Cruise Lines, Carnival Cruise Lines and others to present the ideas of RAMSSES showed a positive attitude and high expectations. A key challenge for us is to reduce the cost of innovative material solutions and to integrate it into our highly mechanised process chain. We see the modular lightweight system as an important means to solve this challenge.”

V. Buic, Head of ship design (ULJ-WP14): “The ongoing production of Car Carriers with lightweight solution implemented, totally 60.000m² of composite structure on five vessels, showed a positive impact on the yard process as well as vessel performance. The full order book up to year 2018 and positive feedback from shipowners regarding innovative solutions gives the possibility for development and implementation of RAMSSES lightweight solution for different types of vessels.”

Imre Kuusk, project engineer (BWB – WP15) “Baltic Workboats produces 15-20 workboats or ferries each year. With novel approach to deckhouse structures based on Aluminium sandwich panels, the shipyard could use 50-75 tons of aluminum panels per year resulting in considerable saving in insulation time and usable onboard space”

M. Morel, R&D manager (NAVAL GROUP-WP16): “NAVAL GROUP group delivers worldwide high value ships. Step by step, the preoccupation with optimisation of superstructure has led to work on incorporating new functions into composites by choosing the components no longer on the sole criterion of their mechanical performance and weight, but also on the basis of multi-functionality. Furthermore, use has been made of the ability of composites to incorporate into their structure

<i>foreign components (e.g. fine metal grids, sensors, antennas, etc.) providing a new function while minimising the impact on the mechanical performance.”</i>
<i>L. Morel, Composite Specialist (DSNS-WP17): “The Damen Group delivers 150-200 ships per year. The potential market expectation for composite materials in ships is enormous, exceeding 1 billion euro. Damen already has a composite shipyard with 120 employees, and business plans are already developed to expand the composite production capacity by more than 100 employees.”</i>
<i>L Rouxel-Duval, R&D Ship Manager (STX Fr – WP18): “The novel passenger cabin and associated superstructure solution to be developed within RAMSSES offers great saving potentials in terms of weight, ship CAPEX and OPEX due to associated energy saving and improved compactness. Such saving potentials correspond well to our customer expectations. If RAMSSES Project confirms such potential, this break-through solution may represent one key-element of the next cruise ship generation in 10 years’ time, keeping and reinforcing Europe leadership in the cruise vessel market.”</i>
<i>FINCANTIERI and CETENA (FC&CET-WP19): “A cruise vessel structure contains ca. 30.000 tons of steel. Considering a market of 10 to 15 Cruise vessel per year built in Europe in the next decade, and adoption of HSLA (high strength low alloy steel) up to 20 -25% of total structural weight, more than 70.000 tons of HSLA could be used in European shipyards in the next years.”</i>
<i>A. Niemelä, Head of Hull Basic Design (MT-WP20): “High Tensile Steel (HTS) weight saving potential in a cruise ship hull structure level is about 20%. Benefits are more efficient production and material utilization, better ship stability and hydrodynamic properties, smaller ship fuel consumption, more efficient ship projects... After a successful demonstration in RAMSSES, MT targets to gradually introduce HTS in the hull structures in the 7 large cruise ships currently in the order book”</i>
<i>B. Cardama, R&D Department (CARDA-WP21): “Steel and composite repairs will open new services offered by Cardama Shipyard to its customers, and an increased 10% of repairing orders are expected as long as these innovative materials are being introduced more and more in the next 5 years. This will help the effort of the Shipyard to convince new-building customers to introduce composites into their vessels every time it is worthy to do that.”</i>

Figure 5 shows the expected schedule for the exploitation of the RAMSSES results by the different partners, starting from the prototype test and the pilot installation, which will both happen in RAMSSES, up to the market entry. This last phase is scheduled for the project follow-up phase, but will start already during the project for selected innovations. 90% of the technologies demonstrated in the project can be implemented within 2 years after finalisation of the project.

Extended market exploitation

The shipyards and technology providers are market leaders in their segments, but do not cover the full production capability of European shipbuilding companies. In Table 9, the extended market potential of all European shipbuilding companies has been estimated, including their production capability outside Europe. The statistics are based on the Sea Europe Market studies.

Table 9 Potential weight saving per year and CO2 reduction perc. of the extended market for all European shipyards

	Light Ship weight [t]	Weight Savings [t]	Estimated new-builds/year	Weight Saving Fleet (max) [t]	Realistic weight saving potential [t]
Cruise large	80.000	4%	6	19.200	8.000

Deliverable D06.4

Cruise medium	50.000	4%	6	12.000	7.000
Cruise small	35.000	4%	5	7.000	3.150
Small Craft	150	5%	250	1.875	806
Offshore vessels	500	5%	110	2.750	1.188
Car carriers	15.000	5%	10	7.500	4.688
Total				50.325	24.831




Figure 5 Overview of exploitation phases 1

The realistic weight savings potential is estimated based on an "implementation" percentage that differs per ship type. The weight saving will lead to CO2 reduction by decreasing the energy consumption per passenger or per ton transported goods, partly due to a smaller ship displacement. E.g. for the 6 estimated newbuilds of medium cruise ships the CO2 saving potential as assumed in ch. 2.1.2 of the project proposal would sum up to a maximum of 30.000t per year, with a more conservative assumption of 20.000t per year. The number of new build cruise ships will grow slightly in the next few years. The share of weight and CO2 reduction by non-consortium companies cannot be directly influenced by the consortium, but are included in the basis for market monitoring, business plans and measures for market uptake. Technology providers within the consortium may stimulate a wider introduction of weight saving solutions. The estimate only accounts for market potentials in the ship types covered within the demonstrators (first order extrapolation). In view of possible applications within ship types not included in the table and a world market share of European ship equipment suppliers of 43% according to latest EU studies, the figures contained in this table appear to be conservative.

5.2 Process and timeline of monitoring RAMSSES impact

The initial Exploitation Plan illustrates how the RAMSSES results will be used by the individual partners as well as jointly within the consortium. Most of the results will be generated by the demonstrator cases, therefore it is important that they keep focus on achieving the expected results, share information on progress and enable the use of results by the consortium.

Monitoring progress and deviations in the expected results will help the demonstrators to take timely actions or modify their approach if needed, additionally it will also enable the consortium to determine the joint impact of RAMSSES demonstrators.

As follow-up on the initial Exploitation plan, a draft Exploitation Plan and Business Plan is expected from every demonstrator work package, using the templates in chapter 5.2.1 and 5.2.2. These draft plans must be returned in PM11, and can be updated in PM34 and PM46, such that these plans can be incorporated in D6.2 (for the non-commercial use in the rule making process), D6.4 and D6.6. Most probably updated templates will be provided to guide the reporting process.




Figure 6: Timeline for reporting progress on expected results

Annual cycles are in place regarding exploitation. In year 1 two questionnaires were set up (a business questionnaire and an exploitation questionnaire). Both questionnaires were used to determine support for further improvement. More information on the questionnaires can be found in section 5.3. In year 2 the questionnaires have been combined into one document: the current exploitation plan in which parts of the business plan are integrated. At this moment the exploitation plan template is more extensive, including more elaborate tables and a description per section. Through the updated plan it is expected that partners are able to generate clear(er) answers, expectations and results of the DC's. In year 2 all partners have created a list of exploitable results. Throughout this period WP6 has guided partners, by (for example) inspiring other DC's to consider similar use of their results. A full list of exploitable results is presented in section 5.4. The focus in year 3 is on IPR and business opportunities, including an update of previous elements. Section 5.5 covers IPR within the RAMSSES consortium, a preliminary overview/preferences of chosen IPR protection tools is given. In year 4 the Exploitation Plan will be finalized and the overall impact of the RAMSSES will be evaluated. WP 6 expects that all Demonstrator Cases will regularly update their exploitation plan. Every 3 months there is communication on feasible progress.




Figure 7: Workflow exploitation plans

5.3 Templates for developing Exploitation plan and Business plan

5.3.1 Template for Exploitation Plan

Each demonstrator work package is required to submit a draft exploitation plan using the following document structure.

5.3.1.1 *Description of demonstrator case*

An general description which may be used for public presentation of the demonstrator.

5.3.1.2 *Expected impact and results*

A description of expected impact and a list of results supporting this impact.

- The expected impact could be an estimated weight reduction, or saving in production time or CO2 footprint.
- The results can be tangible outputs, e.g. prototypes, drawings, calculations, or intangible outputs e.g. know-how, data or solution catalogues.

Please use the initial exploitation plan from the proposal phase as a basis, but only use the items applicable to the demonstrator case. Be as specific as possible.

5.3.1.3 *Potential use of results*

Describe the possibilities for (non-)commercial use of these results and IPR rights related to them, also indicate which partner within the consortium is expected to use these results.

Please use the initial exploitation plan from the proposal phase as a basis, but only use the items applicable to the demonstrator case. Be as specific as possible.

5.3.1.4 *Work plan*

Provide a plan on how the expected results will be achieved, possible Interdependencies with other work packages and a simple timeline indicating important milestones for achieving these results.

5.3.2 Template for Business Plan

Each demonstrator work package is required to submit a draft business plan using the following document structure.

5.3.2.1 *Description of demonstrator case*

Refer to the draft exploitation plan and add how the demonstrator will offer new business opportunities.

5.3.2.2 *Market review*

In addition to describing the size and structure of the sector, the review should address the dynamics of the market. In particular, it should note the technologies and economics that are driving the market and the anticipated trends that could influence the market entry of the offering.

5.3.2.3 *Assessment of competition*

Assessment should be limited to those players offering products or services that the proposed offering seeks to supplant, either through superior technology or functionality. While the offering may be novel to the market, it will still be necessary to 'persuade potential customers that it is superior to existing offerings.

5.3.2.4 *Business opportunities related to the demonstrator solution*

Describe the innovation of the proposed offering in the context of the competition and the sector's needs. This subsection should include a SWOT analysis and focus on the strengths of the offering and show how those strengths play to the opportunities that the competition survey has highlighted.

Deliverable D06.4

Indicate the weight, price and lead time improvements compared to current technology. Summarise potential business model(s).

5.3.2.5 Work plan

Provide a plan on how and when the business opportunities will be achieved. Outline, graphically, the roll-out of the offering: timescale; sales growth; market share

5.4 List of exploitable results

Table 10 summarizes the key exploitable results which are to be generated during the project. Please note that the numbers (quantifications) which are given by the partners are current estimates. In total there are 44 key exploitable results which can be subdivided in different forms of exploitation. Five forms of exploitation have been identified: commercial, environmental, policy, scientific and educational.

Table 10 List of exploitable results RAMSSES

No	Exploitable Results	Description of the result	Partners involved	Exploitable form
Work Package 9: Development of a catamaran powered by solar energy – <u>Lead Partner BALTICO</u>				
<i>Due to the lightweight structure of the boat the reassembly can be done with a minimum amount of support devices.</i>				
1	Modular standard system allowing an easy assembly and transportation	A modular system combines flexibility with the advantages of serial production.	BALTICO	Commercial <ul style="list-style-type: none"> Reduction of mounting time due to modularisation of the vessel; improvement of noise damping and reduction of raw material consumption
2	Rod placing technology for vessels	Use of rovings in an automated process to build the structure.	BALTICO	Commercial, Environmental, Scientific <ul style="list-style-type: none"> Weight reduction (e.g. 50 kg/m² state of art to 10 kg/m²)
3	Use of CFRP in boatbuilding	Use of high standard material in maritime applications (plates made of carbon fibres) which gives advantages with respect to weight and corrosion.	BALTICO	Commercial, Environmental, Policy <ul style="list-style-type: none"> Weight reduction Nearly no maintenance costs Expected approval of the application
4	A simulation of a factory/shipyard and the production line for a serial production for the vessel (50 in the first years)	A simulation of an automated production of composite vessels for maritime applications is a new and great achievement, due to the fact that this is mostly done for steel applications. The simulation study also increase the efficiency by reducing bottle neck in the production process.	CMT, BALTICO	Commercial <ul style="list-style-type: none"> Production & factory planning, planning, identifying of bottlenecks, optimizing the work, material flow

Work Package 10: Lightweight Components for High Loads and Fire Class – <i>Lead Partner PODCOMP</i>				
<i>Development of a sandwich that fulfils the requirements for fire demands on a ship according to IMO. Sandwich panels that can be used in different applications like cabin walls, sun deck floor, balconies or similar.</i>				
5	Sandwich panel solution based on PFA/Glass prepreg technology, Balsa core	Development of an integrated fire, thermal, acoustic and lightweight panel system for a competitive price.	PODCOMP, SWEREA-RISE, COMPEVO, BAL, CETENA	Commercial, Environmental
Work Package 11: Propeller blades made by additive manufacturing – <i>Lead Partner NAVAL GROUP</i>				
<i>Development of a representative blade propeller demonstrator and identify fabrication risks to mitigate be-fore introducing this solution on the market. Choosing Additive Manufacturing (AM) for production provides great benefits for the entire production value chain.</i>				
6	Increasing efficiency in fabrication by implementing Wire Arc for Additive Manufacturing (WAAM)	Efficient fabrication strategies in Wire and Arc Additive Manufacturing (WAAM) are implemented for hollow blades propellers ensuring proper geometry, rapid fabrication and absence of defects.	ECN, NAVAL GROUP	Commercial, Environmental <ul style="list-style-type: none"> Weight reduction by 30-40% Propulsive efficiency increased by 3-5% Cavitation reduced by 60%
7	Enhancement of propeller blades	Demonstration of the possibility to design propeller with enhanced performance (higher efficiency & noise emission reduction) together with reduction of propeller weight, thanks to hollow blade concept.	SIREHNA/ NAVAL GROUP	Commercial, Policy <ul style="list-style-type: none"> Costs equivalent to foundry can be reached based on current technology Important room for improvement is identified which would allow to reduce the production cost by up to 50% once the process will be industrially mature Expected approval of the application
8	Demonstration of fitness for purpose of the obtained material (mechanical strength, resistance to corrosion and to fatigue)	Reduced cost of poor quality in relation with foundry defects repairs.	ECN, NAVAL GROUP, ENSTA BRETAGNE	Commercial <ul style="list-style-type: none"> Reduced cost of poor quality in relation with foundry defects repairs
Work Package 12: Lightweight Rudder Flap – <i>Lead Partner BMS</i>				
<i>Design, production and optimization of a market ready flap rudder for a container ship using lightweight and high performance materials (i.e. composites).</i>				
9	Application lightweight rudder flap	First time application large composite component on rudders for merchant vessels.	BMS, CMT, CET	Commercial, Environmental <ul style="list-style-type: none"> Market share of composite rudder flaps will increase Expected emission reduction due to lightweight and high performance materials
10	Optimized hydrodynamic design of rudder flap	Higher efficiency by hydrodynamic optimized geometry; improvement of side force generation of about 5%.	BMS	Commercial, Environmental

				<ul style="list-style-type: none"> • Benefits for costumers with higher requirements on maneuvering performance • Expected emission reduction due to improved efficiency
11	Material reduction by load adapted design	Compensation of higher material and manufacturing cost by less consumption.	BMS, CMT	<p>Commercial, Environmental</p> <ul style="list-style-type: none"> • Usage of less material; reduced manufacturing costs • Expected emission reduction due to lightweight and high performance materials
12	Reduced maintenance effort of rudderflap	Wear and tear reduction by adaption of bending lines of steel and composite component.	BMS, CMT	<p>Commercial, Educational</p> <ul style="list-style-type: none"> • Lower maintenance costs • Training of steel experienced staff on properties of new material
13	Elimination of the rudderflap's corrosion problem	Elimination of anodes used for steel design.	BMS, CMT	<p>Commercial, Environmental</p> <ul style="list-style-type: none"> • Less operational costs • Increase lifecycle rudderflap
14	Reduced costs and effort in the rudder flap's transport and handling	It is not necessary to use large lifting devices, e.g.: a standard container can be used. The rudder is estimated to be 3 times lighter compared to steel. Due to the weight reduction there are less costs and effort in transport and handling.	BMS	<p>Commercial, Environmental</p> <ul style="list-style-type: none"> • Expected cost reduction regarding transport and handling • Expected emission reduction due to the fact that the rudder is estimated to be 3 times lighter compared to steel
<p>Work Package 13: Integration of System for Internal Walls and Superstructure of Cruise Ships into shipyard processes – Lead Partner: MEYERWERFT</p>				
<p>Introduce fiber reinforced polymers into the yard production process for the usage in cruise ships, passenger ferries and gas carriers with the aim to reduce weight of up to 30 % compared to the steel structure.</p>				
15	A composite design of non-load bearing walls which are easy to connect and disconnect	Rooms where composite panels are used can be refurbished easily and panels can be reused (outcomes: design schedule is more flexible, more cabins can be integrated, with an estimation of 64).	MW, InfraCore Company	<p>Commercial, Environmental</p> <ul style="list-style-type: none"> • Saving of production time, refurbishment/repair time • Reduction of maintenance cost • Weight reduction of at least 30% • Reduction of CO2 footprint
16	Composite panel with high fire resistance	/	MW, InfraCore Company	<p>Policy</p> <ul style="list-style-type: none"> • Expected approval of the application

Work Package 14: Modular Decks for RoRo Vessels – *Lead Partner FLOWSHIP*

Construction of internal strength decks on RoRo vessels introducing FRP pultruded profiles and FRP sandwich technology.

17	Prototype of the pultruded composite deck	The pultruded composite deck can be used in all new ships like car carrier and RO-RO vessels for car decks being beneficial both for ship production costs and lightweight. Compared to conventional steel deck gives weight reduction.	FLOW, OCS	<p>Commercial, Environmental</p> <ul style="list-style-type: none"> • Reduced deck production cost for 20 % compared to the base design with GRP sandwich modules • Weight reduction of 10 % compared to the conventional steel deck
18	Drawings and calculation results, structural and fire test results and assessments	Fire and structural test results and assessment could be used for design approval according SOLAS II-2/17 and Guidelines MSC/Circ.1002 [1] "Guidelines on Alternative Design and Arrangements for Fire Safety". Methodology used in RAMSSES can be applied on a commercial application and reduce cost and time for Alternative design and arrangement procedure.	FLOW, OCS, FHG, RISE	<p>Commercial, Scientific, Policy</p> <ul style="list-style-type: none"> • Technology ready to be implemented on a newbuilding project
19	Production cost and lead time analysis results	The analysis gives a better insight how to optimize the installation process during vessel construction.	CMT, FLOW	<p>Commercial, Scientific</p> <ul style="list-style-type: none"> • Optimized production models for commercial project (reducing production costs and lead time to minimum) • Similar scientific studies
20	Know-how for the RAMSSES composite deck, using the technology of pultrusion, and connection details which give 'ready to install' knowledge	Design and know how ready to be implemented on a newbuilding project from contract to detail design.	FLOW, OCS	<p>Commercial</p> <ul style="list-style-type: none"> • New lightweight, energy efficient ship designs • The knowledge gained in RAMSSES and built demonstrator give confidence to potential clients to invest in new solutions

Work Package 15: Lightweight Panels for Work Boats – *Lead Partner MEC*

Implementation of lightweight panels for the deckhouses on small and medium size workboats.

21	Sandwich panel concept with improved fire resistance	Improved fire resistance, panel design can be approved by the classification societies.	MEC, BWB, BAL, PODCOMP	<p>Commercial, Environmental, Policy</p> <ul style="list-style-type: none"> • Reduction of weight (10-20%), finer surface finish; shorter assembly time for small and medium size workboats. Potential market size for BWB would be up to 10 vessels per year
----	--	---	------------------------	---

				<ul style="list-style-type: none"> Expected approval of the application
22	Proof of concept via demonstrators if they satisfy the requirements and expectations of the shipyard (incl. design and production aspects and guidelines)	Production of actual real scale structure using novel panel design.	MEC, BWB, BAL, PODCOMP	<p>Commercial, Environmental</p> <ul style="list-style-type: none"> Weight reduction (15-25%), shorter assembly time (less insulation required), less deformations, higher quality of final product Introduction of new production and assembly procedure in the shipyard
<p>Work Package 16: Composite superstructure module on a steel deck for multi-purpose vessels – <u>Lead Partner NAVAL GROUP</u></p> <p><i>Developing a streamlined approach to introduce innovative materials in the maritime sector and, more precisely, in composite superstructure made up of modules on a metallic deck.</i></p>				
23	New composite panels	Compared to existing panels, it offers superior fire retardant properties. Higher usability of panel with good fire retardant behavior.	NAVAL GROUP, RISE, BV	<p>Policy</p> <ul style="list-style-type: none"> Expected approval of the application
24	Structural optimization of a composite superstructure	Iterative finite element modelling to optimize de structure in terms of mechanical behavior.	NAVAL GROUP, BV	<p>Commercial, Environmental, Educational</p> <ul style="list-style-type: none"> More panels can be fitted were steel was used previously Weight saving up to 40% compared to a metallic design CO2 saving, through reducing the required propulsion power Skills and educational training
25	New junction designs	New multi-material junctions.	NAVAL GROUP, BV, ENSTA	<p>Commercial, Scientific, Policy</p> <ul style="list-style-type: none"> Ability to produce optimized hybrid structures Improved production and assembly at the shipyard Collaboration scientists Expected approval of the application
26	Sensors integration to perform Structural Health Monitoring in composite materials	Integration of non-intrusive strain sensors in junctions.	NAVAL GROUP	<p>Commercial, Scientific</p> <ul style="list-style-type: none"> Reduce the maintenance activities (Reduce life cycle cost) Collaboration scientists
27	Quick & easy (dis)assembly junctions	Ability to disbond adhesive bonded joints by thermal activation to get modularity of composite superstructure.	NAVAL GROUP, BV	<p>Commercial, Scientific</p> <ul style="list-style-type: none"> Maintain market share in a growing market through more efficient design

				<ul style="list-style-type: none"> • Reduce the maintenance activities (Reduce life cycle cost) • Production costs reduction • Collaboration scientists
Work Package 17: Custom Made Hull for Offshore Vessel – <i>Lead Partner DAMEN</i>				
<p><i>The objectives are to scale up the composite technology and capability to design, produce and market complete composite vessels up to 85 m length that comply with SOLAS and class regulations. Besides designing and approving composite structures complying with class rules, challenges in scaling up the composites technology include pioneering the capability to infuse thick laminates up to 6 meters in height that represent full ship hull structures.</i></p>				
28	Design report of hull section	The structural analysis report contains the analysis approach and results of the hull structure.	DSNS/DSGo	Commercial, Environmental <ul style="list-style-type: none"> • Roughly 40% weight reduction on structure that is to be replaced. (Note: this is not overall ship weight reduction) • Large scale composites produced at steel shipyard conditions • Develop new product-market-composite technology combinations
29	Validated 6 meter high infusion strategy	Realizing the infusion of a hull structure vertically up to 6 meters in height.	ICC/AEL	Policy <ul style="list-style-type: none"> • Expected validation of large composite structures
30	Validated large scale box specimen	A representative box will be built, having the same scantlings and full scale joints as the actual ship. This box is subjected to a bending load, resulting in the stress in the panels being the same as in the actual vessel, and will demonstrate the ability to successfully model large composite structures.	TNO/ICC	Policy <ul style="list-style-type: none"> • Extreme large scale validation testing • Expected validation of large composite structures
31	Robustness of large scale composite demonstrator	Understanding of robustness of large scale composite structures.	TNO/DSNS	Commercial <ul style="list-style-type: none"> • Acceptance and building up trust of composites in commercial shipbuilding
Work Package 18: Multi material lightweight cabin area for passenger ships – <i>Lead Partner CdA</i>				
<p><i>Designing innovative cabins and ship structure interfaces to generate a novel ship structure architecture, reducing weight, size, costs, production times, maintenance and refurbishment effort.</i></p>				
32	Development of a novel ship architecture	Novel ship architecture allows integration of the cabins from the outside (without rolling them from the center of the ship).	CdA	Commercial, Policy <ul style="list-style-type: none"> • Weight reduction, time saving, recognized product differing on the market, facilitate the retrofit • Expected verification of the structure
33	Development of a 6 faces cabin which allows a control by the	Developing a six face cabin would allow checking the cabin right after	CdA	Commercial, Policy

	customer post integration on board	its fabrication phase. Then, the cabin will be sealed and integrated on board.		<ul style="list-style-type: none"> • Time saving, limit the damages of post integration on board (save money) • Expected verification of the structure • Expected verification of the materials and the cabin design
<p>Work Package 19: Highly Loaded structural details from high tensile steel in passenger and research vessels – <u>Lead Partner FC</u></p> <p><i>Demonstrating through the test campaign supported by appropriate design activities (Design of Experiments, FEM analysis, etc.) that the HSLA can be used also in complex welded marine structures guaranteeing better performances than the conventional steels.</i></p>				
34	HSLA characterization	At the end of the project a list of HSLA steel applicable to marine industry will be identified. This will enable the adoption of HSLA steel in ship structural design.	CET, AIMEM, NTUA	<p>Commercial, Scientific</p> <ul style="list-style-type: none"> • Weight reduction: 5 – 10% • Energy Saving: 5% • Ship capacity payload improving: 0 -10% • Experience gained during the project will be used as a starting point for future studies
35	Welding process optimization and improvement	Higher applicability of HSLA on-board. Welding of HSLA steel.	CET, AIMEM, NTUA, FC	<p>Commercial, Scientific</p> <ul style="list-style-type: none"> • No extra time respect to conventional steel • Structural weight and fatigue effect reduction • Experience gained during the project will be used as a starting point for future studies
36	Fast qualification and approval	Inclusion of HSLA in regulatory framework, essential for HSLA applicability on-board. This will be done according to the “Fast track to approval” methodology in strict relation with WP06-WP07, in particular cooperating with BV.	CET, FC	<p>Commercial, Policy</p> <ul style="list-style-type: none"> • The fast qualification and approval process will enable the on-board application of HSLA. This have repercussions both on the policy and commercial side
37	Testing methodology	Facilitate testing campaign through Design of Experiment methodology. Numerical parameter for numerical simulations (FEM).	CET, AIMEM, NTUA, FC	<p>Commercial, Scientific</p> <ul style="list-style-type: none"> • Optimisation of testing activities due to experiences gained during the test campaign • Reduction of testing costs (To be defined at the end of the project) • Experience gained during the project will be used as a starting point for future studies

Work Package 20: Lightweight Decks using High Tensile Steel in cruise ships – <i>Lead Partner MEC</i>				
<i>Implementation of high strength steel materials and advanced manufacturing technology together so that high quality production and resulted higher strength can be used in a final product.</i>				
38	Reliable production methods	This concerns small scale welding tests. The output from these tests creates know-how about the consistency of the welding quality. Crucial in this case is to find welding parameters which show a consistent quality and reliability.	MT	<p>Commercial</p> <ul style="list-style-type: none"> Reliable production methods can reduce quality control costs
39	Requirements for quality	This involves e.g. Finite Element Modelling/Standard welding quality classes.	MT, Aalto	<p>Commercial</p> <ul style="list-style-type: none"> Link between production quality and resulting fatigue strength will be found
40	Quality control procedure	Good quality control procedure can reduce need for inspections on the final product.	MT	<p>Commercial</p> <ul style="list-style-type: none"> Ensuring consistent quality and fatigue strength
41	Experimental results for class approval	Various fatigue tests will be done, specifically in regard to thinner and fire strength steel. This will be passed down as evidence to the classification societies which in turn they are able to use.	MT, Aalto	<p>Commercial, Environmental, Policy, Scientific</p> <ul style="list-style-type: none"> Weight reduction of 15-25%, which can be utilized as: more cabins and passengers on board, more advanced structural solutions, better ship stability as the centre of gravity could be lower, better energy efficiency Fatigue tests will be published Test results will impact classification societies
Work Package 21: Composite Overlay to repair and improve metallic and non-metallic structures – <i>Lead Partner AIMEN</i>				
<i>Demonstrate that composite overlaminating is suitable both as a repair technology for damaged structures in a marine environment as to improve the pristine properties of welded joints</i>				
42	Know-how about the application of composites over metals, surface treatments and adhesion procedures	Higher usability of patch overlamination in larger and/or not linear cracks. Compared to previous research, new materials are being tested. Multiaxial carbon textiles are introduced.	AIMEN	<p>Scientific, Educational</p> <ul style="list-style-type: none"> Training and technology transfer to other sectors, so repairing operations with composites can be spread to several applications Publications Future research
43	Steel and composite repair strategies	Compared to the strategies currently used, these strategies are performed adhoc for each specific crack, resulting in more accurate repairs. Higher usability of	CARDA	<p>Commercial, Environmental</p>

Deliverable D06.4

		composites in shipbuilding resulting in increased market possibilities, both in composites market and shipbuilding maintenance operations.		<ul style="list-style-type: none"> • Longer lifespan vessels, savings in maintenance or new fleet acquisition • Increased market share • Guidelines for standard development
44	Composite overlamination techniques for welding reinforcement	New possibilities to reinforce stressed areas on ships that can be done on-board. Compared to previous investigations, patch composite overlamination have been always used for repairing operations or to reinforce plain areas, but not welded areas. Avoiding maintenance welding operations to repair or reinforce.	GALVENT	<p>Commercial, Environmental</p> <ul style="list-style-type: none"> • Weight reduction, CO2 footprint • Increased market share • Guidelines for standard development



At present five forms of exploitation have been identified, which are illustrated in figure 8: commercial (46%), environmental (21%), policy (16%), scientific (13%) and educational exploitation (4%). Commercial exploitation has the largest share.

Prominent examples of exploitation are illustrated below:

Table 11 Prominent examples of exploitation

Commercial	Environmental	Policy	Scientific	Educational
<ul style="list-style-type: none"> • Usage of lightweight and high performance materials • Weight reduction • Reduced maintenance costs • Reduced production and/or manufacturing costs • Reduced operational costs • Expectation of increased market share • Increase of lifecycle product • Acceptance and building up trust of composites in commercial shipbuilding • Technological ready • Know-how • Ship capacity payload improving • Ability to improve optimized structures • Structural weight and fatigue effect reduction 	<ul style="list-style-type: none"> • Expected emission reduction due to lightweight and high performance materials (weight reduction/ CO2 reduction) • Increase lifecycle, longer lifespan vessels • CO2 saving, through reducing the required propulsion power • Large scale composites produced at steel shipyard conditions 	<ul style="list-style-type: none"> • Expected approval of the application • Technology ready to be implemented on a newbuilding project • Expected validation of large composite structures • Expected verification of the structure • Results will impact classification societies 	<ul style="list-style-type: none"> • Scientific studies • Collaboration scientists • Experience gained during the project will be used as a starting point for future studies • Publications 	<ul style="list-style-type: none"> • Training of steel experienced staff on properties of new material • Skills and educational training




Figure 8: Exploitation forms within the RAMSSES project




5.5 IPR within the RAMSSES consortium

Figure 9 on page 51 gives an overview of the preliminary choices/preferences of IPR tools amongst partners. Almost all of the partners within the RAMSSES project are still in the development stage regarding choice of IPR protection tools. Many partners have considered several options, though they have not reached a final decision yet. Business secrets, designs, patents and licensing agreements are also amongst the most chosen protection tools. Moreover, for many exploitable results it is also not necessary to apply IPR because they represent general outcomes (which, of course, remain highly relevant to the demonstrator cases).

The partners that have chosen business secrets recognize the advantage to withhold know-how which gives a significant advantage towards competitors. Subsequently, various partners have registered their designs. Patents prove to be the most common way to protect property rights. Until now only one partner has opted for patent protection. It should be mentioned that costs for filing patents are relatively high. Many partners have indicated that licensing would be a good option as it allows for commercial exploitation while protecting own rights.

IPR within the RAMSSES consortium



■ No need to utilize IPR											1
■ Still in the development stage										4	
■ Specific techniques and/or repair strategies								2	2		
■ Alternative design			2					1			1
■ Know-how								4	1		2
■ Installation of more units			1					1			2
■ Weight Reduction	1		1		1		1	2	1		1
■ Automated Manufacturing	1					1		1			1
■ Reduced Production Costs/maintenance effort	1		1		1		1	1	1		3
■ New Design	2		1		1	1	1	1	1		2
■ New Material	1				1		3	2	1		1

- New Material
- New Design
- Reduced Production Costs/maintenance effort
- Automated Manufacturing
- Weight Reduction
- Installation of more units
- Know-how
- Alternative design
- Specific techniques and/or repair strategies
- Still in the development stage
- No need to utilize IPR

Figure 9: IPR within the RAMSSES consortium



5.6 Proceeding of exploitation plan

In subject to the list of exploitable results, exploitation can be subdivided into multiple forms:

1. **Commercial exploitation:** “The RAMSSES Demonstrator Cases will foster the use of new materials in real applications with high market potential”
2. **Environmental exploitation:** This includes expected emission reduction due to lightweight and high performance materials, focus on renewable materials and increase of lifespan.
3. **Scientific exploitation:** this involves (further) research, publishing of certain results of the project, etc.
4. **Educational exploitation:** results will be used for training and/or educational purposes.
5. **Policy exploitation:** this involves standardization of class societies, reform of rules and regulations.
6. **Community exploitation:** through the open RAMSSES repository (database) relevant information from the DC’s can be publicly shared. In PM 48 it is expected that D6.4 of WP04 will be accomplished, hence the storing of data in the Innovation Platform (Knowledge Repository). In the next update of the exploitation plan more emphasis will be given on this form of exploitation.
7. **Research & Development (R&D) exploitation:** by engaging in new projects (EU-funded or sponsored by other sources), based on the experiences gained in the project.

In the next update of the exploitation plan attention will be given to community and R&D exploitation as well. In project month 45 an overall impact can be estimated in the RAMSSES project considering the exploitable results and multiple forms of exploitation covered above. The exploitation plan together with the calculations completed by WP8 in regard to KPI used in LCPA will be consulted in order to evaluate the overall impact from RAMSSES as a whole.




Figure 10: Proceeding of exploitation plan

6 References

- [1] M. Krause, F. Roland and S. L. Maharani, RAMSSES project. D03.2 – First Report on Technology Transfer & Future Concepts, May: 31, 2018.
- [2] M. Krause and S. L. Maharani, RAMSSES project, D03.3 – Updated Report on Technology Transfer & Future Concepts, May: 31, 2019.
- [3] R. S. Mullor, “Engineering, production and life-cycle management for the complete construction of large-length FIBRE-based SHIPs,” in *Kick-Off Meeting*, Madrid, June 2017.
- [4] L. Aerts, “GASVESSEL, Compressed Natural Gas Transport System,” in *PNO Innovation N.V.*
- [5] “ADAM4EVE,” [Online]. Available: <http://www.adam4eve-project.eu>. [Accessed 10 January 2108].
- [6] Stitching Materials Innovation Institute (M2i), “Qualify,” *Enabling Qualification of Hybrid Structures for Lightweight and Safe Maritime Transport*, 2017.
- [7] “DE-Light Transport,” [Online]. Available: http://cordis.europa.eu/project/rcn/81519_en.html. [Accessed 11 January 2018].

7 Indexes

7.1 Index of tables

Table 1: Dissemination Plan summary – goal ‘Improving Public Perception and Societal Image’	13
Table 2: Dissemination Plan summary – goal ‘Developing a Maritime Materials Innovation Platform’	13
Table 3: Dissemination Plan summary – goal ‘Improving Competitiveness and Market Uptake’	16
Table 4: Dissemination Plan summary – goal ‘Remove external Barriers towards Application’	17
Table 5 Technology Transfer Group members	21
Table 6 Maritime Advisory Group (MAG) members	22
Table 7: Agenda of the RAMSSES/E-LASS conference in Pula	25
Table 8: Plans for non-commercial exploitation	33
Table 9: Potential weight saving per year and CO2 reduction perc. of the extended market for all European shipyards.....	35-36
Table 10: List of exploitable results RAMSSES.....	39-47
Table 11: Prominent examples of exploitation.....	48

7.2 Index of figures

Figure 1: External information flow (Annex I, Part B, p. 30)	11
Figure 2: The CMG (highlighted yellow) in the RAMSSES Management structure	12
Figure 3: Tommy Hertzberg, coordinator of the E-LASS network, opens the workshop in Pula	25
Figure 4: E-LASS members inspecting Composite car decks during the industry tour at Uljanik shipyard, Pula	25
Figure 5 Overview of exploitation phases 1	37
Figure 6: Timeline for reporting progress on expected results.....	38
Figure 7: Workflow exploitation plans.....	37
Figure 8: Exploitation forms within the RAMSSES project.....	48
Figure 9: IPR within the RAMSSES consortium.....	50
Figure 10: Proceeding of exploitationplan.....	51

7.3 Index of deliverables

D03.1: page 21
D03.2, D03.3, D03.4, page: 20
D04.1, D04.2, D04.3, D04.4, D04.5, page: 12
D05.1, page: 24
D06.2, pages: 38, 18
D06.3, page: 18
D06.4, pages: 32, 38, 52
D06.5, page: 18
D06.6, pages: 32, 38
D06.7, page: 18

7.3 Annex A: Public summary

Since the report at hand is a public RAMSSES Deliverable, there is no need to provide a public summary.